



## High Cop Ground Source Heat Pump High Water Temperature Geothermal

Our Product Introduction

### Basic Information

- Place of Origin: Guangzhou China
- Brand Name: horizontal-slurypump.com
- Certification: CE ISO CCC UKAS,ROHS
- Model Number: OEM
- Minimum Order Quantity: 5 PCS
- Price: Negotiation
- Packaging Details: Plywooden case
- Delivery Time: 15 days
- Payment Terms: T/T, L/C WESTERN UNION
- Supply Ability: 800/MONTH



### Product Specification

- Materail: Galvanized Steel Sheet
- Contactor: Fuji Brand
- Copper Pipe Thick: 1 Mm
- Compressor: ZW Series ,With Crank Heating
- Working Temperature: -40--45 Degree
- Insulation: Foam Pack Pipe And Stick On The Machine Innner
- Throttle: Thermal Expansion Valve
- Highlight: **domestic ground source heat pump**

for more products please visit us on [horizontal-slurypump.com](http://horizontal-slurypump.com)

## Product Description

high cop ground source geothermal heat pump monoblock heat pump water source MD30D

### Technology Specification

#### Product Details

Rated heating capacity	KW	12
Hot water supply	L/h	260
Average heating input power	KW	2.89
Rated heating input current	A	13/6
Max outlet water temp	°C	80
COP		4
Power	V/Hz	220V/380V/50
Noise	Db(a)	50
Dimension	W*D*H	mm 657×557×765
Packing size	W*D*H	mm 737×637×915
Unit weight	KG	108
Refrigerant		R417A/R407C
Working air temp range	°C	(-40°C)—45°C
compressor	Type	Copeland
water source	Type	Plate heat exchange
heat exchanger	Pipe size	DN 25
	Type	Coil heat exchanger
	Water flow	L/H 3300L/h
Hot water side	Water pressure down	Kpa 35
heat exchange	Pipe size	DN 25
	Max house heating	M2 100

#### water source heat pump installation different situations:

Water source heat pumps can use groundwater, river water, tap water, industrial wastewater as a water source, and people can choose suitable water sources according to their most favorable conditions. If groundwater is used, people can drill wells according to local geology, and generally more wells than pumping wells, because pumping water is easier than recharging. Construction of other water source heat pump projects is relatively easy.

#### A. Payment service

1. T/T
2. L/C (for container order only)

#### B. Technical service

1. We calculate the capacity and recommend the best models.
2. We supply you the professional refrigeration technical support and electronic technical support for your installation, debugging and operation.
3. We supply the spare parts and technical support in and after the warranty time.
4. We supply the training course to your workers at our factory if you need.
5. We can offer site training to your workers in your place which is negotiable.

#### C. After-sales service

1. Technical support for your installation, operation and maintenance.
2. Standard warranty time: One years'warranty for heat pumps  
You can also pay for extended warranty or we can renegotiate the longer warranty period.
3. Spare parts and technical support at most economic prices after the warranty.

#### FAQ

Q1. Can I have a sample order for Heat pump or Water tank?

A: Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

Q2. What about the lead time?

A: Sample needs 3-10days, mass production time depend on the products'quantity.

Q3. Do you offer guarantee for the products?

A: Yes, 12 months since the heat pump depart from the port of loading (Refer to the Bill of Lading).

#### Certificates we have got :

ISO 9001, ISO 14000

Our company has been inspected and certificate by EMC

CE And EN14511, EN 14825-ERP for heat pump exported to europe

Energy label for all heat pump models sold to oversea market

Testing laboratory calibrated by CNAS

**Our leading products**

Air to water heat pump , DC inverter heat pump, High water temperature heat pumps

Monoblock house heating heat pumps ,Split heat pump ,Super low noise heat pump

Heat pump dryer ,Ground source heat pump , water to water heat pump , swimming pool heat pump

**Packaging & Shipment**

1> Meeting heat pump can sure delivery heat pump within 5~20 working days as we warehouse stock condition.

2> Heat pump with strong plywood pallet , strong plywood box for loading, make sure no problem happen during rude transporation .

3> All spare parts of the heat pump water heater will together loading into package , one time finished shipment to buyer.

4> Take video of the heat pump for buyer before package to 100% sure buyer get product same as order, no any different.


5> Meeting heat pump offer 100% test online, 5% test in Lab by 24 hour for one lot order (if not new model)

Packaging Details :Standard export packing -with plywoods case packages,OEM is available for Factory price heat pump water heaters

Delivery Time :15 work days after arrival of down payment

 **ROMAN** Beijing Silk Road Enterprise Management Services Co.,LTD

 0086-17773109286

 jeffreyth@slurrypump.com

 horizontal-slurrypump.com

Floor 5, 2nd Building, Zhonglu Industrial Zone,Shenzhen City, Guangdong Province China (Mainland)