



American Standard Heat Pump / Anti Corrosive Ground Source Heat Pump

Our Product Introduction

for more products please visit us on horizontal-slurypump.com

Basic Information

- Place of Origin: Guangzhou China
- Brand Name: horizontal-slurypump.com
- Certification: CE ISO CCC UKAS,ROHS
- Model Number: OEM
- Minimum Order Quantity: 5 PCS
- Price: Negotiation
- Packaging Details: Plywooden case
- Delivery Time: 15 days
- Payment Terms: T/T, L/C WESTERN UNION
- Supply Ability: 800/MONTH



Product Specification

- Materail: Galvanized Steel Sheet
- Contactor: Fuji Brand
- Copper Thick: 1 Mm
- Compressor: With Oil Heater
- Display: LCD Finger Touch
- Control: Wifi Function Support
- Highlight: meeting heat pump



More Images



Product Description

3P 380V 50Hz water heater , ground heater , anti corrosive treament steel sheet , hot sales heat pump

Product Details

MODEL	Unit	MD30D
Rated heating capacity	KW	12
Rated Cooling capacity		7
Hot water supply	L/h	260
Average heating input power	KW	3
Rated heating input current	A	13/6
Max outlet water temp	°C	60
COP		4
Power	V/H z	220V/380/50
Noise	Db(a)	54
Dimension	W*D*H	mm 1120*490*710mm
Packing size	W*D*H	mm 1190*520*865mm
Unit weight	KG	108
Refrigerant		R417A/R407C/R404A
Working air temp range		(-20°C)—45°C
compressor	Type	Copeland
Air source heat exchanger	Type	Finned heat exchange
	Fan Type	axial flow fan
Hot water side heat exchange	Type	Coil heat exchanger
	Water flow	L/H 3000L/h
	Water pressure down	Kpa 40
	Pipe size	DN 25
	Max flat square meter	M2 100

Features :

1. With Advanced Dinverter technology, it saves 40% energy than normal heat pump in practical operation
2. Manage heating, cooling and hot water, fits your need all year round.
3. With temperature compensation function, the water setting temperature adjusts automatically as the house's heat loss changes.
4. Automatically variable fan speed to optimize heating efficiency.
5. Can work with room thermostat or master controller.
6. Can work with auxiliary heater.
7. Split design with water system indoor, preventing water frozen problem.
8. Easy wire connection ,simplifies installation and avoids mistakes.
9. With controller interface, plate heat exchanger, circulation pump, flow switch, water pressure gauge in indoor unit.
10. Allows absence of buffer tank.

QC :

1. Complying with ISO standard. Quality Ensured.
2. Complete Inspection for each unit before out of factory, covering water system and electricity detection and testing, ensuring 100% right product before shipment.
3. Strict quality control during production. We have liquid soap detection, halogen detection, electrical detection and water-soaking detection during production to avoid gas leakage and electrical problems .
4. Full inspection on bigger parts such as compressors, condensers, evaporators, expansion valves, flow switches, controllers etc.. Selection inspection for small parts such as sensors, pressure switches etc..

5. Well noise control by using mute cotton for casing plates and soft rubber feet for floating compressors, some of the models use compressor isolation shields.
6. Well insulated with insulated cotton for every pipe and parts, include compressor, dryer filter and each pipes.
7. We have passed TUV and SGS inspections. We have CE, RoHs, IEC, CCC, CB certificates for most of our products. Some of our products have en14511 test, en14825 test.

Certificate we have got :

- 1> ISO 9001, ISO 14000
- 2> Our company has been inspected and certificate by EMC
- 3> CE And EN14511, EN 14825-ERP for heat pump exported to europe
- 4> Energy label for all heat pump models sold to oversea market
Testing laboratory calibrated by CNAS

Payment service :

1. T/T
2. L/C (for container order only)

Technology :

Technical service

1. We calculate the capacity and recommend the best models.
2. We supply you the professional refrigeration technical support and electronic technical support for your installation, debugging and operation.
3. We supply the spare parts and technical support in and after the warranty time.
4. We supply the training course to your workers at our factory if you need.
5. We can offer site training to your workers in your place which is negotiable.

After-sales service

1. Technical support for your installation, operation and maintenance.
2. Standard warranty time: One years'warranty for heat pumps
You can also pay for extended warranty or we can renegotiate the longer warranty period.
3. Spare parts and technical support at most economic prices after the warranty.

FAQ

Q1. Can I have a sample order for Heat pump or Water tank?

A: Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

Q2. What about the lead time?

A: Sample needs 3-10days, mass production time depend on the products'quantity.


Q3. Do you offer guarantee for the products?

A: Yes, 12 months since the heat pump depart from the port of loading (Refer to the Bill of Lading).

Product Line, Product Photo ,Loading Photo

 **ROMAN** Beijing Silk Road Enterprise Management Services Co.,LTD

 0086-17773109286

 jeffreyth@slurypump.com

 horizontal-slurypump.com

Floor 5, 2nd Building, Zhonglu Industrial Zone, Shenzhen City, Guangdong Province China (Mainland)