Top blowing 21KW Hydronic Heat Pump Floor Heating Air Source Low Temp

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

- Guangzhou China horizontal-slurrypump.com
- CE ISO CCC UKAS, ROHS
- OEM

T/T, L/C WESTERN UNION

5 PCS Negotiation

800/MONTH

- Plywooden case
- 15 days



Product Specification

- Materail:
- Contactor:
- Copper Thick:
- Compressor:
- Display:
- Control:
- Certification:
- Installation:
- Noise:
- Highlight:

Fuji Brand 1 Mm With Oil Heater LCD Finger Touch Wifi Function Support

Coated Matel

- CE, CCC Freestanding
- Low Noise
- meeting heat pump



More Images





Our Product Introduction

Product Description

MD60D Top blowing 21KW Floor Heating Air Source Low Temp Heat Pump

Technology Specification

Features&Benefits :

Easy installation with different water tanks	High efficiency with good performance	
Famous brand copeland compressor with R410a	Enlarged heat exchangers, high COP	
Whisper quiet fan	Intelligent controller	
Reverse cycle defrost with 4-way valve	Hydrophilic fin coil coating	
Operation protection included	100% factory tested	

Household air source heat pump (Mono-block type) has following important features:

- 1. Working air temperature range:-20°C to 45°C
- 2. Max outlet water temperature:60°C
- 3. Circulating water pump inside(or outside heat pump)
- 4. Copeland compressor
- 5. R417A/R407C/R404Arefrigerant
- 6. Air temperature too low protection
- 7. High efficiency shell and tube water heat exchanger



Our Services

1. After installation, our company will be responsible for problems caused by quality of production or raw material except the damageable spare parts of heat pump caused by incorrect man-made operation during the guarantee period.

2. Intelligent Controlling service system will be avoid the long distance of the after sale problem. Wherever are you, our engineer can be controlled your equipment, when some questions occur on the equipment. Just tell us what number will be shown on the screen, then the engineer will be solve the problem.

3. We accept OEM, ODM and customization.

4. 24*7 after sales service. You will get satisfied service.

5. We have More than 17 years production and sales experience; Professional sales team.

Packaging & Shipment

1> Meeting heat pump can sure delivery heat pump within 5~20 working days as we warehouse stock condition.

2> Heat pump with strong plywood pallet , strong plywood box for loading, make sure no problem happen during rude transporattion .

3> All spare parts of the heat pump water heater will together loading into package , one time finished shipment to buyer.

4> Take video of the heat pump for buyer before package to 100% sure buyer get product same as order, no any different.

5>Meeting heat pump offer 100% test online, 5% test in Lab by 24 hour for one lot order (if not new model) Packaging Details :Standard export packing -with plywoods case packages,OEM is available for Factory price heat pump water heaters

Delivery Time :15 work days after arrival of down payment

•	ng capacity ipply ating input power ng input current	Unit KW L/h KW A ℃	MD60D 21 15 520 5.68 12 60
COP			4.2
Power		V/H z	380/50
Noise		Db(a)	60
Dimension	W*D*H	mm	1120*490*1270
Packing size	eW*D*H	mm	
Unit weight		KG	210
Refrigerant			R417A/R407C/R4 04A
Working air	temp range		(-20°C)—45°C
compressor	Type		Copeland
Air source h	Type		Finned heat exch
eat exchang			ange
er	Fan Type		axial flow fan
	Туре		Coil heat exchang
	Water flow	L/H	er 6000
Hot water si	dWater flow Water pressure do	L/۱۱ ۱	
	wn	, Kpa	48
nge	Pipe size	DΝ	25
	Max flat spuare m		175
	ter	M2	170

Air source heat pump parameter tebles

OROMAN Beijing Silk Road Enterprise Management Services Co.,LTD



jeffreyth@slurrypump.com

borizontal-slurrypump.com

Floor 5, 2nd Building, Zhonglu Industrial Zone, Shenzhen City, Guangdong Province China (Mainland)