6P Antiseptic Chiller Swimming Pool Heat Pump For Water Heating **System**

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
 - 15 days

- horizontal-slurrypump.com
- CE ISO CCC UKAS, ROHS

Negotiation

800/MONTH

Plywooden case

Guangzhou China

- OEM
- 5 PCS

- Payment Terms: T/T, L/C WESTERN UNION
- Supply Ability:



Product Specification

- Materail:
- Contactor:
- Copper Pipe Thick:
- Compressor:
- Working Temperature:
- Insulation:
- Defrosting:
- Temperature:
- Highlight:

| Fuji Brand | |
|--|-----|
| 1 Mm | |
| ZW Series ,With Crank Heating | |
| -2045 Degree | |
| Foam Pack Pipe And Stick On The Mach Innner | ine |
| Automaticlly | |

Galvanized Steel Sheet

80 Degree

swimming pool air source heat pump



Technology Specification

Swimming Pool Heat Pump

Specifications

Swimming pool heat pump heating:

1. High efficiency & energy saving

2. Safe & Comfort

3. Convenient & widely to use

4. Swimming Pool Heat Pump heating:

Swimming pool heat pump can save you up to 80% in operating cost whether you just want to extend your swimming season or swim all year round in a warm comfortable pool.

With special designed heat exchangers, Swimming pool heat pump can give you the perfect water temperature without a big increase in your power bill, our swimming pool heat pump is a perfect selection to your in-ground swimming pool or sea.

The product can be widely installed at any kind of places, such as constant temperature swimming pools, sauna constant hot water system and supplying domestic hot water to home.

Our Services

1. After installation, our company will be responsible for problems caused by quality of production or raw material except the damageable spare parts of heat pump caused by incorrect man-made operation during the guarantee period.

2. Intelligent Controlling service system will be avoid the long distance of the after sale problem. Wherever are you, our engineer can be controlled your equipment, when some questions occur on the equipment. Just tell us what number will be shown on the screen, then the engineer will be solve the problem.

3. We accept OEM, ODM and customization.

4. 24*7 after sales service. You will get satisfied service

5. We have More than 17 years production and sales experience; Professional sales team.

Swimming pool/bath/hotel heat pump water heater Advantage feature

1.Excellent outlook design wins high appreciation

- 2.Compact structure and good demountability
- 3.Patented 100% titanium Heat exchanger in PVC & INOX Shell
- 4.Intelligent Microcomputer controller
- 5. High efficiency compressor with R417A / R407C / R410 refrigerant
- 6.Air exchanger with hydrophilic coating
- 7.Automatic defrosting function included

8.Low noise.

FAQ

What is your advantage, comparing with other water heaters?

- A: Avoiding electric water heater leakage, dry, high power consumption.
- B: Avoiding the drawbacks of gas water heater, such as producing harmful gases, Fits and starts etc.
- C: Energy efficient, safety and environmental protection, all-weather operation, easy to use.

What details do you need?

- A: Pool: Length, width, depth.
- B: Ambient temperature.
 - C: Water input and output temperature.

Will it be too trouble to use air water heater?

Easy to use, once set, always have hot/cool water

How long is the life of air water heater

Life span is 12-15 years

.How many years guarantee?

1 years

for more products please visit us on horizontal-slurrypump.com

| Air Heat Exchange Expansion valv | Gas Heat Circulation Exchanger | Water In Ilation | Hot Water Useing Fresh Water In |
|---|-----------------------------------|---------------------|--|
| MODEL | | | MDY 60D |
| Rated heating capacity | | | 26 |
| Average heating input power | | | 6 |
| Rated heating input current | | A | 12 |
| Max outlet water temp | | ъ | 35 |
| COP | | | 4.2 |
| Power | | V/Hz | 380/50 |
| Noise | | Db(a) | 60 |
| Dimension | W*D*H | mm | 1120* 4 90*1270 |
| Packing size | W*D*H | mm | 1200*520*1350 |
| Unit weight | | KG | 210 |
| Refrigerant | | | R417A/R407C/R410A |
| Working air temp range | | | (-20℃)—45℃ |
| compressor | Туре | | Copeland |
| Air source heat exchanger | Туре | | Finned heat exchange |
| | Fan Type | | axial flow fan |
| Hot water side heat exchange | Туре | | Titanium heat exchanger |
| | Water flow | L/H | 9000L/h |
| | Water pressure down | Кра | 48 |
| | Pipe size(water connection) | DN | 50 |

Type:Swimming pool heat pump

Use:swimming pool heating

Certification:CE ISO CCC UKAS,ROHS

Place of Origin:Guangdong, China (Mainland)

Brand Name:Meeting

Model Number:MDY60D

Condenser:Double thread copper tube heat exchanger

Evaporator:High efficiency inner thread tube connected with

Throttling Device:Electric expansiona valve

Refrigerant:R417A ,R407A,R410A

Net Weight (kg):210

Compressor:Copeland

Power supply:380V/50HZ

Working air temp range:-25-(45)

Packaging Details: Plywooden case

OEM is available

Delivery Time:15 working days after arrival of down payment

