

Galvanized Steel Sheet High Temperature Heat Pump 80 Degree Air To Water Heat Pump

Basic Information

Place of Origin: Guangzhou China

Brand Name: horizontal-slurrypump.comCertification: CE ISO CCC UKAS,ROHS

Model Number: OEM
Minimum Order Quantity: 5 PCS
Price: Negotiation
Packaging Details: Plywooden case

• Delivery Time: 15 days

Payment Terms: T/T, L/C WESTERN UNION

• Supply Ability: 800/MONTH



Product Specification

Materail: Galvanized Steel Sheet

Contactor: Fuji BrandCopper Pipe Thick: 1 Mm

Compressor: ZW Series ,With Crank Heating

• Working Temperature: -20--45 Degree

• Insulation: Foam Pack Pipe And Stick On The Machine

Innner

Defrosting: AutomaticllyTemperature: 80 Degree

• Highlight: high temperature air to water heat pump



More Images







Product Description

ABOUT US

- 1). We were established in 2001.
- 2). We are a professional heat pump manufacturer, Located arround baiyun Air port
- 3). We are trading on Meeting Brand ,Meeting heat pump Well-know brand we operate in Europe market
- 4). Our company has been inspected and certificated by TUV and SGS.
- 5). We are the one of the first manufacturers whose heat pumps are with top COP gaining grants from Chinese government.
- 6). We pass ISO9001 quality management system and ISO14000 environment protection system
- 7). Our testing laboratory can test heat pump up to 60KW heating capacity and create testing air temperature condition during -25DegC~45DegC,according to EN14511 standard.
- 9). Our leading products: Air to water heat pump, DC inverter heat pump, High water temperature heat pumps

Monoblock house heating heat pumps ,Split heat pump ,Super low noise heat pump

Heat pump dryer ,Ground source heat pump , water to water heat pump , swimming pool heat pump

Heating + Domestic hot water Cooling

Cooling+Domestic hot water

Domestic hot water

High temperature

According to different technical requirements, the highest water temperature up to 80 °C, and meet the needs of much of a non consumption of process water.

Broad environment

According to different environment, can choose -15 °Ccascade type high temperature heat pump.

Full-automatic

Automatic precise temperature control + / - 1 °C, improving the stability of the process; no need human supervision, saving time and labor

Higher Energy Efficiency

High efficiency heat exchanger coordinates with the high temperature heat pump compressor, energy consumption is only $1/4 \sim 1/2$ of electric heating.

Safe and pollution-free

Driven by electricity, no burning and explosion danger, no pollutants, improve the working environment significantly.

MODEL		Unit	MD200D
Rated heating capacity		KW	72
Rated Cooling capacity			48
Hot water supply		L/h	1590
Average heating input power		KW	18.2
Rated heating input current		А	35
Max outlet water temp		0	80
COP			4.5
Power		V/Hz	380V/50
Noise		Db(a	65
Dimension	W*D*H	mm	2040×1100×2000
Packing size	W*D*H	mm	2080×1150×2130
Unit weight		KG	650
Refrigerant			R134A
Working air temp range			(-20℃)—45℃
compressor	Туре		Copeland
Air source heat exchanger	Туре		Finned heat exchange
	Fan Type		axial flow fan
Hot water side heat exchange	Туре		Coil heat exchanger
	Water flow	L/H	20000L/h
	Water pressure down	Кра	60
	Pipe size	DN	50
	Max flat spuare meter	M2	600

Packaging & Shipment

- 1> Meeting heat pump can sure delivery heat pump within 5~20 working days as we warehouse stock condition.
- 2> Heat pump with strong plywood pallet , strong plywood box for loading, make sure no problem happen during rude transporattion .
- 3> All spare parts of the heat pump water heater will together loading into package , one time finished shipment to buyer.
- 4>Take video of the heat pump for buyer before package to 100% sure buyer get product same as order, no any different.
- 5> Meeting heat pump offer 100% test online, 5% test in Lab by 24 hour for one lot order (if not new model)

Packaging Details :Standard export packing -with plywoods case packages,OEM is available for Factory price heat pump water heaters

Delivery Time :15 work days after arrival of down payment

POMAN Beijing Silk Road Enterprise Management Services Co.,LTD

0086-17773109286

jeffreyth@slurrypump.com

horizontal-slurrypump.com

Floor 5, 2nd Building, Zhonglu Industrial Zone, Shenzhen City, Guangdong Province China (Mainland)