



Rubber Metal Wet Volute Slurry Pump Parts For 10 8 AH Wear Resistant

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: horizontal-slurrypump.com
- Certification: ISO
- Model Number: OEM
- Minimum Order Quantity: 1 set
- Price: based on quantity
- Packaging Details: wooden case
- Delivery Time: 15days
- Supply Ability: 200sets monthly



Product Specification

- Material: A05 A49 R55
- Color: Can Be Customized
- Name: Volute Liner F8110
- MOQ: 1 Set
- Location From: China
- Pump: Slurry Pump Prts
- Highlight: centrifugal pump spare parts

for more products please visit us on horizontal-slurrypump.com

Product Description

Rubber / Metal Wet Volute Slurry Pump Parts F8110 For 10/8 AH Wear Resistant, Replace Parts

Slurry Pumps are single-stage, sing-suction, cantilevered, horizontal , wear resistant layer and bearing layer can be separated, double casing structure. With the advantages of high efficiency, wear resistant, stable performance, interchangeability of parts. The discharge outlet of the centrifugal slurry pump can be adjusted with rotation interval of 45 degrees, the pumps can be operated in series and driven with belt

Materials High chrome alloy: A05, A07, A33, A49, etc. Natural rubber: R08, R26, R33, R55, etc. Other material as per requests, like stainless steel, duplex stainless steel, Nickle alloy, Alloy 20, etc.

OEM Part Codes

Impeller: 127, 147, 145, etc., such as C2127, D3147, E4147, F6147, G8147, G10147, FAM1247...

Volute liner, C2110, D3110, E4110, F6110, G10110, G12110, ...

Parts	Material	Specification
Volute		A05:23~30% A07:14~18% A12:30% A49:27~29%A33:33~37%
	Hard Metal	
Liner, Impeller, Throatbush, FPL		Chrome White Iron
insert	Rubber	R26 R08 R55 R38 R33 Natural Rubber; S01 EPDM Rubber; S21;Butyl;S31;Hypalon; S44; Neoprene
	Metal	A05 23~30% High Chrome Iron G01: Grey Iron
Expeller&Expeller Ring	Rubber	R26 R08 R55 R38 R33 Natural Rubber
Stuffing Box	Metal	A05 23~30% High Chrome Iron G01: Grey Iron
Frame Plate, Cover Plate, Base	Metal	G01 Grey Iron D21 Ductile Iron
Bearing housing		
Shaft	Carbon Steel	Type 1045(ASTM)
Shaft Sleeve, Lantern	Stainless Steel	3Cr13, 304SS, 316SS
Rings, Restrictor, Neck		
Ring, Gland Bolts		
Joint Ring&Seals	Rubber	R26 R08 R55 R38 R33 Natural Rubber; S01 EPDM Rubber; S21;Butyl;S31;Hypalon; S44; Neoprene




Pump Casing




Volute Liner



Impeller



Front Liner



Back Liner



Expeller



Bearing Assembly



Shaft Spacer



Shaft Sleeves



Base



Flange Plate



Machanical Seal



Gland Bolts



Lantern Ring




Lower Strainer



Shaft

 **ROMAN Beijing Silk Road Enterprise Management Services Co.,LTD**

 0086-17773109286

 jeffreyth@slurrypump.com

 horizontal-slurrypump.com

Floor 5, 2nd Building, Zhonglu Industrial Zone, Shenzhen City, Guangdong Province China (Mainland)